Scott C. Harris, Esq
PO Box 927649
San Diego CA 92192-7649
Telephone: 619-823-7778
Fax: (619) 678-5082

February 25, 2000

Attorney Docket No.: SCH/TRAVEL

Box Patent Application
Assistant Commissioner for Patents
Washington, DC 20231

Presented for filing is a new original patent application of:

Applicant: SCOTT C. HARRIS

Title: GRAPHICAL TRAVEL SYSTEM FOR THE INTERNET

Enclosed are the following papers, including those required to receive a filing date under
37 CFR 1.53(b):

                          <u>Pages</u>

Specification   13
Claims   3
Abstract   1
Declaration   2
Drawing(s)   7

Enclosures:
— Postcard.

This case is entitled to small entity status. An executed small entity statement is attached.

There are 5 claims, 1 independent.

Basic filing fee	$345
Total claims in excess of 20 times $9	$0
Independent claims in excess of 3 times $39	$0
Fee for multiple dependent claims	$0
Total filing fee:	$345

A check for the filing fee is enclosed.

If this application is found to be incomplete, or if a telephone conference would otherwise be helpful, please call the undersigned at (619) 823-7778.

Kindly acknowledge receipt of this application by returning the enclosed postcard.

Please send all correspondence to:

SCOTT C. HARRIS
P.O. Box 927649
San Diego, CA 92192

Respectfully submitted,

Scott C. Harris
Reg. No. 32,030
Enclosures
SCH/jzc

Applicant or Patentee: Scott C. Harris
Serial or Patent No.:
Filed or Issued: Herewith
For: GRAPHICAL TRAVEL SYSTEM FOR THE INTERNET

VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS
(37 CFR 1.9(f) and 1.27(b)) - INDEPENDENT INVENTOR

As a below named inventor, I hereby declare that I qualify as an independent inventor as defined in 37 CFR 1.9(c) for purposes of paying reduced fees under section 41(a) and (b) of Title 35, United States Code, to the Patent and Trademark Office with regard to the invention entitled described in

[X]   the specification filed herewith.
[ ]   application serial no. , filed .
[ ]   patent no. , issued .

I have not assigned, granted, conveyed or licensed and am under no obligation under contract or law to assign, grant, convey or license, any rights in the invention to any person who could not be classified as an independent inventor under 37 CFR 1.9(c) if that person had made the invention, or to any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

Each person, concern or organization to which I have assigned, granted, conveyed, or licensed or am under an obligation under contract or law to assign, grant, convey, or license any rights in the invention is listed below:

[X]   no such person, concern, or organization.
[ ]   persons, concerns or organizations listed below*.

*NOTE: Separate verified statements are required from each named person, concern, or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

Full Name: _____

Address: _____

[ ] INDIVIDUAL   [ ] SMALL BUSINESS CONCERN   [ ] NONPROFIT ORGANIZATION

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status when any new rule 53 application is filed or prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

Inventor: Scott Harris _____

Signature: _____   **Date:** 8/25/00

APPLICATION

FOR

UNITED STATES LETTERS PATENT

TITLE: GRAPHICAL TRAVEL SYSTEM FOR THE INTERNET

APPLICANT: SCOTT C. HARRIS

CERTIFICATE OF MAILING BY EXPRESS MAIL

Express Mail Label No.   EL339806440US

I hereby certify that this correspondence is being deposited with the United States Postal Service as Express Mail Post Office to Addressee with sufficient postage on the date indicated below and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

February 25, 2000
Date of Deposit

Signature

Janet Christy
Typed or Printed Name of Person Signing Certificate

Graphical Travel System for the Internet

Background

Organized travel systems often have multiple different fares for allowing travel from point A to point B. The major airlines have literally thousands of different fares; each with certain restrictions and certain requirements. Moreover, each different airline may charge a different amount for the same trip.

Many internet travel systems store a database with each of the different fares available from each of the different airlines. The lowest fare can be found by searching each of these multiple records. With a high-power computer, the thousands of different fares can be searched relatively efficiently.

Summary

The present application teaches a way of setting travel plans over a remote information server such as the Internet, using a graphical interface.

BRIEF DESCRIPTION OF THE DRAWINGS

These and other aspects will now be described in detail with reference to the accompanying drawings, wherein:

Fig.1 shows a block diagram of the graphical user interface used to select a trip;

Figure 2 shows a flowchart of operation;

Figure 1B shows a display of a trip and a line representing stopovers;

Figure 1C shows a display of trip versus optimal trip;

Figure 3 shows a flowchart of another embodiment;

Figure 4 shows a flowchart of other operations; and

Figure 5 shows a basic network architecture.

Detailed Description

According to one aspect of this disclosure, the user's route is selected using a graphical user interface. The user can select a radius within which their route can begin or end. The user can also select their desired travel dates using a graphical interface. The user can also select a range within which their travel can begin and end. The travel system uses the information entered via this user interface to display the best fares.

The user's actual travel route can be displayed as compared with the optimum route as shown in Fig. 1C. In this way, the user can see how far out of the way the connections will actually take them. A graph showing the user's connections as compared with best worst and other

2

connections can also be displayed. The display can also display prices and times for the other routes.

According to another aspect, this system also allows selecting alternative forms of travel. For example, for a trip from New York to San Diego, one acceptable form of travel could be a flight to a Los Angeles and bus rental car or train to San Diego. The entire travel package is secured for the one price.

A user's login and travel profile is stored as a function of their biometric information. For example, the user's left thumb print is used as an identification of the user. In this way, any user can use any one of a number of different remote terminals. The user's profile can be stored in a central computer, and retrieved from that central computer responsive to recognition of the biometric information. This prevents the user from entering their data each time they log on to a new system. One aspect of the invention couples this with a personal identification number known only to the user. The personal identification number can be entered via a keyboard, or can actually be a sequence of different biometric parts.

The present application describes operations that are carried out over a remote information server such as the Internet.

The basic hardware forming the basic setup of the present invention has is shown in Figure 5. A server computer 500, at a central location, stores a database of information, as well as a user interface program, and a main program which can run a network interfacing program, such as a web browser. The server computer 500 is connected to a network 510, which connects the server 500 to a plurality of client computers. The network can be the Internet, or can be any other network that allows an exchange of information. For example, in one embodiment, the network 510 may be a dedicated dial-up or LAN network. The network comprises at least an information line, and a router 530. The information line 510 can be a telephone line and the router 530 can include the internet backbone, for example. The server computer 500 runs the routines that are described herein.

Many client computers can be connected to the server. Client 520 is shown at a remote location.

The client computer can be any computer which is capable of running a network interfacing program such as a web browser. In addition, the client computer can have various peripherals attached thereto. These peripherals can include, for example, a camera.

4

In operation, each of the client computers is driven to run the specified routine under control of the server 100.

The specified routines run by both the client and server computers are shown herein. It should be understood, however, that multiple client computers could simultaneously operate. When this happens, this client part of the routine may have multiple clients requesting information from the same server. Any multitasking system can be used to handle these requests.

The functions described herein can be effected in any coding system, including HTML, Java, or C++. The code that is produced is then displayed on a user's remote ("client") terminal. In this embodiment, the image on the client terminal provides a graphical user interface from which trip selections are selected.

Fig. 1 shows a view of the graphical user interface of the main menu of this system. Preferably, each of the views are stored in the server and downloaded to the client computer in the background, and stored in the client computer's cache, to reduce any delays attributable to loading.

In operation, the user on a client first logs into the server, either using a standard login technique, or by

using one of the specialized techniques described in the later embodiments. After logging into the server, the user may be provided with a list of options which can include "book a passage", "book a hotel", etc.

Figure 1A shows an image of the entire United States that is loaded as the main screen, relative to selecting the "book a passage". This main screen can be displayed in relatively low resolution, since it will be used to create the virtual environment of the flight. This image will be used for booking a flight within the United States. However, the main screen could encompass a desired geographical area.

The image is a hyperlinked image. The major geographical areas on the image are shown as being identified. Here, these locations include Los Angeles, San Francisco, Chicago, New York, Washington DC, Miami, and Denver. The screen shows the airport abbreviations. Also, when the user places their cursor over a part of the image, a screen tip appears indicating more details about the area based on the hyperlink that would be selected if that area of the screen was selected.

Therefore, in areas like Texas, the user may place their cursor over a portion of Texas. The screen tip

"Dallas Metro Area" appears. Clicking that area can select Dallas Metro Airport.

To plan a trip, the user first clicks on a location of their approximate starting point, and then the approximate end point. The beginning point 119 and end points 129 are communicated to the remote information server computer at step 200. The remote information server forms an image of a line between those points. This is illustrated in Figure 1, showing a straight line between San Diego and Washington DC.

Next, at step 215, the user can expand the allowable geographical area. For example, the part at the San Diego end can be expanded to a larger variable radius. The outer radius 120, as shown in Figure 1 incorporates not only San Diego airport, but also Carlsbad, and Orange County. The even larger outer radius 122 encompasses Los Angeles airport. At the ending point, the user can pull the circle wide enough to incorporate Baltimore (radius 130), or even wider to include Richmond and Philadelphia (radius 132). This expansion of markets operation step is of course optional -- alternately the user can use the specific geographical markets that the user has selected.

At step 220, the user selects dates. A first departure calendar 155 is displayed near the point of

origin. Another return calendar 159 is displayed near the destination.

Analogously, for multiple destination trips, the system displays multiple lines for the flight legs as shown in Figure 1B, and multiple calendars 160, 162, 164. The user selects dates from each of the calendars. The server highlights those dates on the respective calendars.

At step 230, the user can also drag the cursor along multiple dates on the calendars to provide a range of dates. For example, the range in Figure 1A shows departing between November 19th and 21st, each of which are illustrated as highlighted on the calendar.

When the routes and dates are completed, the user executes the operation by actuating the "Price this Trip" button 156. At 235, the "price trip" is detected, and the selected parameters are then sent to the server computer over the remote information connection at 240. Those parameters can include identification of the starting point, including each airport within the radius selected, each of the possible start dates, and analogous information for each of the destinations. Each of the combinations from the possibilities is arranged into a matrix form, so that each of the groups of possibilities can be formed. The server computer searches fares on each of the multiple

permutations of the items in the set at 245. The results can be sorted by any desired criteria, e.g. by airline, by best price, by most direct route, or by shortest flight time.

The user can select any one of these flights and request purchase of the flight. Once purchased, the flight is stored in an itinerary, as conventional in an Internet based travel agent.

A second mode of this application also takes advantage of the airline running a special fare into a specified market, that is not run into other markets that are very close to that specified market. For example, it may be much cheaper to fly into Tampa, Florida, than it is to fly into Orlando. Orlando is only two hours away from Tampa by car. Similarly, it may be much cheaper to fly into Philadelphia than to Washington DC. This second mode preferably operates with a binding auction system. In a binding auction system, a user indicates where they want to go and makes an offer of how much they want to pay. They also present payment information such as a credit card.

If the offer is accepted, then the credit card is automatically charged and the ticket is automatically issued. Once is the offer is made, the user has no chance

to decline the offer if accepted. The user's offer is
binding if accepted.

The airlines have used this technique to sell their
surplus tickets. Typically the airlines will not sell the
tickets for less than some specified amount. However, this
enables the airlines to dispose of seats that remain on any
airplane, to sell tickets at less than the published price.
This does not change the published fare base, since the
sale of the specified ticket may not qualify as not a
published fare.

According to this model, even further flexibility in
the system is provided. The present model provides a
package of more then one travel item into a binding fare
package. The binding fare model operates as follows and as
shown in Fig. 3.

The user signifies their desire to travel from a
starting point, e.g. Washington DC, to a destination point
for example San Diego. This selecting can use the Figure 1
user interface. The information is obtained in the server
as shown in 300. At 305, the user specifies the maximum
number of transportation changes that are allowable. Each
time the user needs to leave their seat and enter a new
vehicle comprises one transportation change. So, for
example, changing planes can constitute one transportation

change, and going from plane to bus can constitute another transportation change. The user also gets the option of indicating, for example, how many plane changes they will accept, and whether they will accept a transfer on ground transportation, e.g. from train to bus. The user enters a maximum price they are willing to pay for the trip at step 310. Payment information is entered at 315. At step 325 the server echoes the information, and sends it back at 330. The user is asked, "Are you sure that you want to do this?" at 335 If so, the information is transmitted again at 335. Once the user accepts the information, they become obligated to take the trip if the trip can be found for that price.

The server operates using a similar model to the other binding offer systems. However, the operation proceeds with additional variables. Each geographic location is broken down into not only that location, but also other locations which can be accessed via ground transportation for example. Therefore, the system may check flights into Philadelphia as well as checking flights into the Washington DC area. If a flight into Philadelphia is found the generally meets the price parameters, the system checks ground transportation options to see if it can package a flight option with a ground transportation option. If so,

the combination is booked, and the credit card is automatically charged for the combination.

Figure 4 shows an alternative of the above which carries out the same multiple-operation-packaging system for use with airlines and hotels. The user decides what they want to pay not only for the transport, but also for their lodging during the trip. The user selects the criteria, including the start/destination at 400 number of stops and changes 402, if air to ground is ok 404, and the quality of hotel at 406. For example, the quality of hotel can be selected by the number of stars. Locations of the hotel are selected at 405. One way of selecting this may be to enter an address, and specify a radius around that address in which they will accept the hotel. Another way of specifying the desired hotel is to enter the city at 408. The server responds at 410 by displaying a map to the user at step 520. The user selects various neighborhoods 414 on the map. Each selection changes a color of the selected area. In this way the user can select a number of different areas.

In this system, the user is also given an option to exclude certain things. For example, user's idiosyncrasy based on good and bad experiences may play into what they are willing to do. For example a user may not be willing

to stay in a Holiday Inn. Step 418 specifies entering

exclusion criteria. The exclusion criteria can be any word

in the name of the hotel, can be a specified hotel chain,

or other. The returned and booked trip will therefore only

be acceptable if it does not include this exclusion

criteria.

When all information is finished the user can actuate

the accept button to accept all the different alternatives

and send that information to the server at 430.

The server accepts this information at 435, and

attempts to find a package meeting the criteria. It if

does, a package is returned at 440. If not, a decline or

counter offer is returned at 440.

Other embodiments are contemplated.

What is claimed is:

1. A system comprising:

a server computer having travel information;

a client computer, having a cursor moving element, and an actuator that is actuated to select a current position of said cursor moving element, said client computer connected to said server computer over a network, and running a server interfacing program, which exchanges information with said server, said server interfacing program operating to produce a graphical user interface that allows entry of a desired starting area for travel, and a desired ending area for said travel, said graphical user interface displaying a map of an area within which the travel will occur, and allowing said starting area for said travel to be selected within said area by using said cursor moving element to place a cursor of the graphical user interface over said starting area, and actuating said actuator to select said starting area, and allowing said ending area for said travel to be selected by using said cursor moving element to place the cursor of the graphical user interface over said ending area, and actuating the actuator to indicate said end area, said server interfacing program receiving said starting area, and said ending area,

sending first travel information about both said starting area and said ending area to said server, and receiving travel information from said server indicative of travel options between the selected starting area and ending area.

2. A system as in claim 1, wherein said server interfacing program further allows at least one of said starting area or said ending area to be changed in size to form a changed in size area, by using said cursor moving element to change a size of said at least one, and wherein said first travel information includes information about said changed in size area, and said travel information received from said server includes options for different locations within said changed in size area.

3. A system as in claim 2, wherein said server computer produces an image of a line extending between said starting point and said ending point, overlaid on said map.

4. A system as in claim 1, wherein said client computer displays a first calendar near said starting area, and near said ending area, allows selection of at least one date from said calendar, and transmits said dates to said

server computer, said travel information received from said server computer being also based on said dates.

5. A system as in claim 3, wherein said line includes an indication of a stopping point between said beginning point and said ending point.

Abstract

A graphical user interface for a travel system allows the beginning and end points to be selected, and then displays a line indicating the travel, and calculates fares.

FIG 1

SFO

ORD

NY
PHL
BALT
WAS
LAX
OC
LA
SAN
NEW
ORL

MIA

127

128

130

130

132

DEC
1 2 3
45
159

NOV
1 2 3
4 5 6 7 8 9
... 19 20 21
155

156 PRICE THIS TRIP

FIG 1B

PRP

yours -7 hours
$400

OPTIMAL 3 hours 31 min
$1,295

VAS

SAN

FIG 1C

CLIENT   SERVER

Give begin/end   — 200
points to server

Expand area   — 215
of trip

Select dates   — 220
Display calendar

Drag cursor along   — 230
multiple dates

        Prior   235   Y   Send   search
        trip   information   fares
        ?   to
                                       server

                                       return results

ACCEPT
A
RESULT
?

                                                    BOOK TICKET
                                                    OR SAVE
                                                    RESULT

Fig 2

300 ─── Get start/
          destination

305 ─── MAX #
          TRANSPORTATION
          CHANGES
          - PLANG CHANGES (#)
          - PLANE TO ~GROUND (Y/N)
              OK

310 ─── ENTER
          MAXIMUM
          PRICE

315 ─── ENTER
          PAYMENT INFO

300 ──→ OKAY

325 ──→ RCV
          ECHO/CONFIRM

335 ─── ARE YOU
          SURE
          Y/N

N

330

335

FIG 3

Fig 4

520

53

510

500

client

router

server

FIG 5

COMBINED DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled GRAPHICAL TRAVEL SYSTEM FOR THE INTERNET, the specification of which:

[x] is attached hereto.

[] was filed on _____ as Application Serial No. _____ and was amended on _____.

[] was described and claimed in PCT International Application No. _____ filed on _____ and as amended under PCT Article 19 on _____.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose all information I know to be material to patentability in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim the benefit under Title 35, United States Code, §119(e)(1) of any United States provisional application(s) listed below:

U.S. Serial No.	Filing Date	Status

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose all information I know to be material to patentability as defined in Title 37, Code of Federal Regulations, §1.56(a) which became available between the filing date of the prior application and the national or PCT international filing date of this application:

U.S. Serial No.	Filing Date	Status

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed:

Country	Application No.	Filing Date	Priority Claimed	
			[] Yes	[] No
			[] Yes	[] No

# Combined Declaration and Power of Attorney
Page 2 of 2 Pages

Address all telephone calls to SCOTT C. HARRIS at telephone number (619) 823-7778.

Address all correspondence to SCOTT C. HARRIS at:

PO Box 927649
San Diego, Ca 92192-7649

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patents issued thereon.

Full Name of Inventor: Scott C. Harris

Inventor's Signature: _____ Date: 8/25/00

3329 Cerros Redondos, Rancho Sant Fe, CA 92067
Residence Address:
Citizenship: USA

Post Office Address: P.O. Box 927649, San Diego, CA 92192